AM
AIVI
то
AM
2X
OOD, CPP
OOD, CFF
LD HERE>
<u> </u>
OLD HERE->
v

STANDARD TERMS & CONDITIONS	INVITATION TO BID	
NUMBER : 2203697 OPEN DATE: 11/10/05 TIME: 10:00 AM T-NUMBER :	BIDDER:	PAGE 2

11 ADDRESS ALL INQUIRIES AND CORRESPONDENCE TO THE BUYER AT THE PHONE AND ADDRESS SHOWN ABOVE.

12. CONFERENCE:

NA

NA

NA

13. BID FORMS.

ALL WRITTEN BIDS, UNLESS OTHERWISE PROVIDED FOR, MUST BE SUBMITTED ON, AND IN ACCORDANCE WITH, FORMS PROVIDED, PROPERLY SIGNED (SEE NO. 30). BIDS SUBMITTED IN THE FOLLOWING MANNER WILL NOT BE ACCEPTED:

- A. BID CONTAINS NO SIGNATURE INDICATING INTENT TO BE BOUND;
- B. BID FILLED OUT IN PENCIL; AND
- C. BID NOT SUBMITTED ON THE STATE'S STANDARD FORMS.

BIDS MUST BE RECEIVED AT THE ADDRESS SPECIFIED IN THE SOLICITATION PRIOR TO BID OPENING TIME IN ORDER TO BE CONSIDERED.
TELEGRAPHIC AND FAX ALTERATIONS TO BIDS RECEIVED BEFORE BID OPENING TIME WILL BE CONSIDERED PROVIDED FORMAL BID AND WRITTEN
ALTERATION HAVE BEEN RECEIVED AND TIME-STAMPED BEFORE BID OPENING TIME. ENTIRE BID SHOULD BE RETURNED, EXCEPT ITEM PAGES NOT
BID.

14. STANDARDS OF QUALITY.

ANY PRODUCT OR SERVICE BID SHALL CONFORM TO ALL APPLICABLE FEDERAL AND STATE LAWS AND REGULATIONS AND THE SPECIFICATIONS CONTAINED IN THE SOLICITATION. UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION, ANY MANUFACTURER'S NAME, TRADE NAME, BRAND NAME, OR CATALOG NUMBER USED IN THE SPECIFICATION IS FOR THE PURPOSE OF DESCRIBING THE STANDARD OF QUALITY, PERFOMANCE, AND CHARACTERISTICS DESIRED AND IS NOT INTENDED TO LIMIT OR RESTRICT COMPETITION. BIDDER MUST SPECIFY THE BRAND AND MODEL NUMBER OF THE PRODUCT OFFERED IN HIS BID. BIDS NOT SPECIFYING BRAND AND MODEL NUMBER SHALL BE CONSIDERED AS OFFERING THE EXACT PRODUCTS SPECIFIED IN THE SOLICITATION.

15. DESCRIPTIVE INFORMATION.

BIDDERS PROPOSING AN EQUIVALENT BRAND OR MODEL SHOULD SUBMIT WITH THE BID INFORMATION (SUCH AS ILLUSTRATIONS, DESCRIPTIVE LITERATURE, TECHNICAL DATA) SUFFICIENT FOR STATE OF LOUISIANA TO EVALUATE QUALITY, SUITABILITY, AND COMPLIANCE WITH THE SPECIFICATIONS IN THE SOLICITATION. FAILURE TO SUBMIT DESCRIPTIVE INFORMATION MAY CAUSE BID TO BE REJECTED. ANY CHANGE MADE TO A MANUFACTURER'S PUBLISHED SPECIFICATIONS SUBMITTED FOR A PRODUCT SHALL BE VERIFIABLE BY THE MANUFACTURER. IF ITEM(S) BID DO NOT FULLY COMPLY WITH SPECIFICATIONS (INCLUDING BRAND AND/OR PRODUCT NUMBER), BIDDER MUST STATE IN WHAT RESPECT ITEM(S) DEVIATE. FAILURE TO NOTE EXCEPTIONS ON THE BID FORM WILL NOT RELIEVE THE SUCCESSFUL BIDDER(S) FROM SUPPLYING THE ACTUAL PRODUCTS REQUESTED.

16. BID OPENING.

BIDDERS MAY ATTEND THE BID OPENING, BUT NO INFORMATION OR OPINIONS CONCERNING THE ULTIMATE CONTRACT AWARD WILL BE GIVEN AT THE BID OPENING OR DURING THE EVALUATION PROCESS. BIDS MAY BE EXAMINED WITHIN 72 HOURS AFTER BID OPENING. INFORMATION PERTAINING TO COMPLETED FILES MAY BE SECURED BY VISITING THE STATE OF LOUISIANA DURING NORMAL WORKING HOURS, WRITTEN BID TABULATIONS WILL NOT BE FURNISHED.

17. AWARDS.

THE STATE OF LOUISIANA RESERVES THE RIGHT TO AWARD ITEMS SEPARATELY, GROUPED OR ON AN ALL-OR-NONE BASIS AND TO REJECT ANY OR ALL BIDS AND WAIVE ANY INFORMALITIES.

18. PRICES.

UNLESS OTHERWISE SPECIFIED BY THE STATE OF LOUISIANA IN THE SOLICITATION, BID PRICES MUST BE COMPLETE, INCLUDING TRANSPORTATION PREPAID BY BIDDER TO DESTINATION AND FIRM FOR ACCEPTANCE FOR A MINIMUM OF 30 DAYS. IF ACCEPTED, PRICES MUST BE FIRM FOR THE CONTRACTUAL PERIOD. BIDS OTHER THAN F.O.B. DESTINATION MAY BE REJECTED. PRICES SHOULD BE QUOTED IN THE UNIT (EACH, BOX, CASE, ETC.) AS SPECIFIED IN THE SOLICITATION.

19. DELIVERIES.

BIDS MAY BE REJECTED IF THE DELIVERY TIME INDICATED IS LONGER THAN THAT SPECIFIED IN THE SOLICITATION.

20. TAXES.

VENDOR IS RESPONSIBLE FOR INCLUDING ALL APPLICABLE TAXES IN THE BID PRICE. STATE AGENCIES ARE EXEMPT FROM ALL STATE AND LOCAL SALES AND USE TAXES.

STANDARD TERMS & CONDITIONS	INVITATION TO BID	
NUMBER : 2203697 OPEN DATE: 11/10/05 TIME: 10:00 AM T-NUMBER :	BIDDER:	PAGE 3

21. NEW PRODUCTS

UNLESS SPECIFICALLY CALLED FOR IN THE SOLICITATION, ALL PRODUCTS FOR PURCHASE MUST BE NEW, NEVER PREVIOUSLY USED, AND THE CURRENT MODEL AND/OR PACKAGING. NO REMANUFACTURED, DEMONSTRATOR, USED OR IRREGULAR PRODUCT WILL BE CONSIDERED FOR PURCHASE UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION. THE MANUFACTURER'S STANDARD WARRANTY WILL APPLY UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION.

22. CONTRACT RENEWALS.

UPON AGREEMENT OF THE STATE OF LOUISIANA AGENCY AND THE CONTRACTOR, A TERM CONTRACT MAY BE EXTENDED FOR 2 ADDITIONAL 12-MONTH PERIODS AT THE SAME PRICES, TERMS AND CONDITIONS. IN SUCH CASES, THE TOTAL CONTRACT TERM CANNOT EXCEED 36 MONTHS.

23. CONTRACT CANCELLATION.

THE STATE OF LOUISIANA HAS THE RIGHT TO CANCEL ANY CONTRACT, IN ACCORDANCE WITH PURCHASING RULES AND REGULATIONS, FOR CAUSE, INCLUDING BUT NOT LIMITED TO, THE FOLLOWING: (1) FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE CONTRACT; (2) FAILURE OF THE PRODUCT OR SERVICE TO MEET SPECIFICATIONS, CONFORM TO SAMPLE QUALITY OR TO BE DELIVERED IN GOOD CONDITION;
(3) MISREPRESENTATION BY THE CONTRACTOR; (4) FRAUD, COLLUSION, CONSPIRACY OR OTHER UNLAWFUL MEANS OF OBTAINING ANY CONTRACT WITH THE STATE; (5) CONFLICT OF CONTRACT PROVISIONS WITH CONSTITUTIONAL OR STATUTORY PROVISIONS OF STATE OR FEDERAL LAW;
(6) ANY OTHER BREACH OF CONTRACT.

24. DEFAULT OF CONTRACTOR.

FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE BID WILL CONSTITUTE A DEFAULT AND MAY CAUSE CANCELLATION OF THE CONTRACT.
WHERE THE STATE HAS DETERMINED THE CONTRACTOR TO BE IN DEFAULT, THE STATE RESERVES THE RIGHT TO PURCHASE ANY OR ALL PRODUCTS
OR SERVICES COVERED BY THE CONTRACT ON THE OPEN MARKET AND TO CHARGE THE CONTRACTOR WITH COST IN EXCESS OF THE CONTRACT
PRICE. UNTIL SUCH ASSESSED CHARGES HAVE BEEN PAID, NO SUBSEQUENT BID FROM THE DEFAULTING CONTRACTOR WILL BE CONSIDERED.

25. ORDER OF PRIORITY.

IN THE EVENT THERE IS A CONFLICT BETWEEN THE INSTRUCTIONS TO BIDDERS OR STANDARD CONDITIONS AND THE SPECIAL CONDITIONS, THE SPECIAL CONDITIONS SHALL GOVERN.

26. APPLICABLE LAW.

ALL CONTRACTS SHALL BE CONSTRUED IN ACCORDANCE WITH AND GOVERNED BY THE LAWS OF THE STATE OF LOUISIANA.

27. COMPLIANCE WITH CIVIL RIGHTS LAWS.

BY SUBMITTING AND SIGNING THIS BID, BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE FOLLOWING AS APPLICABLE: TITLE VI AND VII OF THE CIVIL RIGHTS ACT OF 1964, AS AMENDED BY THE EQUAL OPPORTUNITY ACT OF 1972, FEDERAL EXECUTIVE ORDER 11246, FEDERAL REHABILITATION ACT OF 1973, AS AMENDED, THE VETERAN'S READJUSTMENT ASSISTANCE ACT OF 1974, TITLE IX OF THE EDUCATION AMENDMENTS OF 1972, THE AGE ACT OF 1975, AND BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT OF 1990. BIDDER AGREES NOT TO DISCRIMINATE IN ITS EMPLOYMENT PRACTICES, AND WILL RENDER SERVICES UNDER ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION WITHOUT REGARD TO RACE, COLOR, RELIGION, SEXUAL ORIENTATION, NATIONAL ORIGIN, VETERAN STATUS, POLITICAL AFFILIATION, OR DISABILITIES. ANY ACT OF DISCRIMINATION COMMITTED BY BIDDER, OR FAILURE TO COMPLY WITH THESE STATUTORY OBLIGATIONS WHEN APPLICABLE, SHALL BE GROUNDS FOR TERMINATION OF ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION.

28. SPECIAL ACCOMMODATION.

ANY "QUALIFIED INDIVIDUAL WITH A DISABILITY" AS DEFINED BY THE AMERICANS WITH DISABILITIES ACT WHO HAS SUBMITTED A BID AND DESIRES TO ATTEND THE BID OPENING, MUST NOTIFY THIS OFFICE IN WRITING NOT LATER THAN SEVEN DAYS PRIOR TO THE BID OPENING DATE OF THEIR NEED FOR SPECIAL ACCOMMODATIONS. IF THE REQUEST CANNOT BE REASONABLY PROVIDED, THE INDIVIDUAL WILL BE INFORMED PRIOR TO THE BID OPENING.

29. INDEMNITY

CONTRACTOR AGREES, UPON RECEIPT OF WRITTEN NOTICE OF A CLAIM OR ACTION, TO DEFEND THE CLAIM OR ACTION, OR TAKE OTHER APPROPRIATE MEASURE, TO INDEMNIFY, AND HOLD HARMLESS, THE STATE, ITS OFFICERS, ITS AGENTS AND ITS EMPLOYEES FROM AND AGAINST ALL CLAIMS AND ACTIONS FOR BODILY INJURY, DEATH OR PROPERTY DAMAGES CAUSED BY THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. CONTRACTOR IS OBLIGATED TO INDEMNIFY ONLY TO THE EXTENT OF THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. HOWEVER, THE CONTRACTOR SHALL HAVE NO OBLIGATION AS SET FORTH ABOVE WITH RESPECT TO ANY CLAIM OR ACTION FROM BODILY INJURY, DEATH OR PROPERTY DAMAGES ARISING OUT OF THE FAULT OF THE STATE, ITS OFFICERS, ITS AGENTS OR ITS EMPLOYEES.

30. SIGNATURE AUTHORITY.

IN ACCORDANCE WITH L.R.S. 39:1594 (ACT 121), THE PERSON SIGNING THE BID MUST BE:

- 1. A CURRENT CORPORATE OFFICER, PARTNERSHIP MEMBER OR OTHER INDIVIDUAL SPECIFICALLY AUTHORIZED TO SUBMIT A BID AS REFLECTED IN THE APPROPRIATE RECORDS ON FILE WITH THE SECRETARY OF STATE: OR
- 2. AN INDIVIDUAL AUTHORIZED TO BIND THE VENDOR AS REFLECTED BY A CORPORATE RESOLUTION, CERTIFICATE OR AFFIDAVIT; OR
- 3. OTHER DOCUMENTS INDICATING AUTHORITY WHICH ARE ACCEPTABLE TO THE PUBLIC ENTITY.

SPECIAL TERMS & CONDITIONS	INVITATION TO BID	
NUMBER : 2203697 OPEN DATE: 11/10/05 TIME: 10:00 AM T-NUMBER :	BIDDER:	PAGE 4

1 BID DELIVERY INSTRUCTIONS FOR STATE PURCHASING:

BIDDERS ARE HEREBY ADVISED THAT THE U.S. POSTAL SERVICE DOES NOT MAKE DELIVERIES TO OUR PHYSICAL LOCATION.

BIDS MAY BE MAILED THROUGH THE U.S. POSTAL SERVICE TO OUR BOX AT:
OFFICE OF STATE PURCHASING
P O BOX 94095
BATON ROUGE LA 70804-9095

BIDS MAY BE DELIVERED BY HAND OR COURIER SERVICE TO OUR PHYSICAL LOCATION AS FOLLOWS:

OFFICE OF STATE PURCHASING CLAIBORNE BUILDING, SUITE 2-160 1201 NORTH THIRD STREET BATON ROUGE, LA 70802

BIDDER IS SOLELY RESPONSIBLE FOR ENSURING THAT ITS COURIER SERVICE PROVIDER MAKES INSIDE DELIVERIES TO OUR PHYSICAL LOCATION. THE OFFICE OF STATE PURCHASING IS NOT RESPONSIBLE FOR ANY DELAYS CAUSED BY THE BIDDER'S CHOSEN MEANS OF BID DELIVERY.

BIDDER IS SOLELY RESPONSIBLE FOR THE TIMELY DELIVERY OF ITS BID. FAILURE TO MEET THE BID OPENING DATE & TIME SHALL RESULT IN REJECTION OF THE BID.

PUBLICIZING AWARDS. IN ACCORDANCE WITH L.A.C.34:I.535, UNSUCCESSFUL BIDDERS WILL BE NOTIFIED OF THE AWARD PROVIDED THAT THEY SUBMIT WITH THEIR BID A SELF-ADDRESSED STAMPED ENVELOPE REQUESTING THIS INFORMATION.

**ATTENTION: **

RECEIPT OF A SOLICITATION OR AWARD CANNOT BE RELIED UPON AS AN ASSURANCE OF RECEIVING FUTURE SOLICITATIONS. IN ORDER TO RECEIVE FUTURE SOLICITATIONS/AWARDS FROM THIS OFFICE, YOU MUST ENROLL IN THE PROPER CATEGORY ON LAPAC OR ON STATE PURCHASING'S AGPS BIDDERS LIST. ENROLLMENT IN LAPAC IS FREE AND PROVIDES EMAIL NOTIFICATION OF BID OPPORTUNITIES BASED UPON COMMODITIES THAT YOU SELECT.

2 COMPLIANCE WITH CIVIL RIGHTS LAWS. BY SUBMITTING AND SIGNING THIS SOLICITATION, THE BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE FOLLOWING AS APPLICABLE: TITLE VI AND TITLE VII OF THE CIVIL RIGHTS ACT OF 1964, AS AMENDED BY THE EQUAL OPPORTUNITY ACT OF 1972, FEDERAL EXECUTIVE ORDER 11246, THE FEDERAL REHABILITATION ACT OF 1973, AS AMENDED, THE VIETNAM ERA VETERAN'S READJUSTMENT ASSISTANCE ACT OF 1974, TITLE IX OF THE EDUCATION AMENDMENTS OF 1972, THE AGE ACT OF 1975, AND BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT OF 1990. BIDDER AGREES NOT TO DISCRIMINATE IN ITS EMPLOYMENT PRACTICES, AND WILL RENDER SERVICES UNDER ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION, WITHOUT REGARD TO RACE,

		·			
SPECIA	AL T	ERMS & COI	NDITION	NS	INVITATION TO BID
NUMBER : OPEN DATE: T-NUMBER :	11/1	3697 0/05 TIM	E: 10:00	O AM	BIDDER:
		STATUS, PO DISCRIMINA STATUTORY TERMINATION SOLICITATI	OLITICATION OBLIGATION OF A	AL AFFIL COMMITTE ATIONS W ANY CONT	EXUAL ORIENTATION, NATIONAL ORIGIN, VETERAN IATION, OR DISABILITIES. ANY ACT OF ID BY BIDDER, OR FAILURE TO COMPLY WITH THESE THEN APPLICABLE, SHALL BE GROUNDS FOR PRACT ENTERED INTO AS A RESULT OF THIS
		A PREFEREI GROWN, OR	NCE MA ASSEM	Y BE ALL BLED IN	NCE WITH LOUISIANA REVISED STATUTES 39:1595, OWED FOR PRODUCTS MANUFACTURED, PRODUCED, LOUISIANA OF EQUAL QUALITY. PRENCE? YES
					LOUISIANA WHERE THIS PRODUCT IS MANUFACTURED,
		(NOTE: II	F MORE	SPACE I	S REQUIRED, INCLUDE ON SEPARATE SHEET.)
		DO YOU HAY	VE A L	OUISIANA	BUSINESS WORKFORCE? YES NO
					THAT AT LEAST FIFTY PERCENT (50%) OF YOUR FORCE IS COMPRISED OF LOUISIANA RESIDENTS?
		YES	N	0	
					E INFORMATION MAY CAUSE ELIMINATION FROM TES SHALL NOT APPLY TO SERVICE CONTRACTS.
		ENCLOSED V	WITH T	HE BID I	PECIFIED, SUFFICIENT INFORMATION SHOULD BE IN ORDER TO DETERMINE QUALITY, SUITABILITY, AND CCIFICATIONS.
		FAILURE TO CONSIDERA		LY WITH	THIS REQUEST MAY ELIMINATE YOUR BID FROM
			, LITE		FICATIONS MUST BE SUBMITTED UPON REQUEST; IF ND/OR SPECIFICATIONS MUST BE SUBMITTED WITHIN
	6				SCOPE OF CONTRACT
		OF LOUISIA TERMS AND AND CONTRA	ANA MA CONDI ACTOR	Y CAUSE TIONS WH AGREES T	AND CONDITIONS CONTRARY TO THOSE OF THE STATE YOUR BID TO BE REJECTED. BY SIGNING BELOW, IICH MAY BE INCLUDED IN YOUR BID ARE NULLIFIED, THAT THIS CONTRACT SHALL BE CONSTRUED IN VERNED BY THE LAWS OF THE STATE OF LOUISIANA.

PAGE 5

SPECIA	LTERMS	& COND	ITIONS	INVITATI	ON TO BID		
NUMBER : OPEN DATE: '-NUMBER :		TIME:	10:00 AM	BIDDER:			PAGI
				J			
	BIDDE	R SIGNA	ATURE				
							
	,						

RICE S	SHEET	INVITATI	ON TO B	ID		
UMBER	: 2203697 :: 11/10/05 TIME: 10:00 AM	BIDDER:				PAG
LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED T	OTA
	UNLESS SPECIFIED ELSEWHERE SHIP TO: WILDLIFE & FISHERIES DIST 4 OFF 261 WILDLIFE & FISHERIES RD. FERRIDAY, LA 71334					
00001	COMMODITY CODE: 720-90-000000	2	EACH		f	
	100 HP PORTABLE DIESEL ENGINE POWER UNIT FOR WATER WELL, JOHN DEERE 4045T OR APPROVED EQUAL. UNIT TO BE MOUNTED ON A DUAL AXLE TRAILER WITH 550 GALLON STEEL FUEL TANK. POWER UNIT, FUEL TANK, AND TRAILER MUST BE FURNISHED WITH ALL NECESSARY FUEL SUPPLY LINES, SUPPORT STANDS AND HARDWARE AS CONTAINED IN ATTACHED SPECIFICATIONS. SPECIFY BRAND (& NUMBER IF APPLICABLE)					
					i	
					;	
					:	
					<u> </u>	

SOLICITATION NUMBER: 2203697

PAGE: 8

Specifications

100 hp Diesel Power Unit

General Data	
Model	4045TF150
Number of Cylinders	4
Engine Cylinders Liners	Wet Sleeve
Bore and Stroke-in. (mm)	
Compression Ratio	
Valves per Cylinder-Intake Exhaust	
Firing Order	
Combustion System	
Engine Type	In-line, 4-Cycle
Aspiration	_
Engine Crankcase Vent System	Open
Maximum Crankcase Pressure-in H ₂ O (kPa)	
	, ,
Physical Data	
Length-in. (mm)	33.9 (860)
Width-in. (mm)	
Height-in. (mm)	39.1 (994)
Weight, dry-lb (kg)	
(Includes flywheel housing, flywheel & electrics)	•
Fuel System	
Fuel Injection Pump	Stanadyne
Governor Regulation	7 10 0/
· · · · · · · · · · · · · ·	/-10 70
Governor Type	
	Mechanical
Governor Type	Mechanical3 (0.9)
Governor Type	Mechanical3 (0.9)
Governor Type	
Governor Type	
Governor Type	
Governor Type Max. Allow. Fuel Pump Suction-ft (m) fuel Fuel Filter Micron Size @ 98% Efficiency Lubrication System Oil Pressure at Rated Speed-psi (kPa)	
Governor Type Max. Allow. Fuel Pump Suction—ft (m) fuel Fuel Filter Micron Size @ 98% Efficiency. Lubrication System Oil Pressure at Rated Speed—psi (kPa). Oil Pressure at Low Idle—psi (kPa) In Pan Oil Temperature—°F (°C)	
Governor Type Max. Allow. Fuel Pump Suction—ft (m) fuel Fuel Filter Micron Size @ 98% Efficiency. Lubrication System Oil Pressure at Rated Speed—psi (kPa) Oil Pressure at Low Idle—psi (kPa) In Pan Oil Temperature—°F (°C) Oil Pan Capacity, High—qt (L) Oil Pan Capacity, Low—qt (L)	
Governor Type Max. Allow. Fuel Pump Suction—ft (m) fuel Fuel Filter Micron Size @ 98% Efficiency. Lubrication System Oil Pressure at Rated Speed—psi (kPa) Oil Pressure at Low Idle—psi (kPa) In Pan Oil Temperature—°F (°C) Oil Pan Capacity, High—qt (L) Oil Pan Capacity, Low—qt (L)	
Governor Type Max. Allow. Fuel Pump Suction—ft (m) fuel Fuel Filter Micron Size @ 98% Efficiency Lubrication System Oil Pressure at Rated Speed—psi (kPa) Oil Pressure at Low Idle—psi (kPa) In Pan Oil Temperature—°F (°C) Oil Pan Capacity, High—qt (L)	
Governor Type Max. Allow. Fuel Pump Suction—ft (m) fuel Fuel Filter Micron Size @ 98% Efficiency. Lubrication System Oil Pressure at Rated Speed—psi (kPa). Oil Pressure at Low Idle—psi (kPa) In Pan Oil Temperature—°F (°C) Oil Pan Capacity, High—qt (L) Oil Pan Capacity, Low—qt (L) Total Engine Oil Capacity with Filters—qt (L)	
Governor Type Max. Allow. Fuel Pump Suction—ft (m) fuel Fuel Filter Micron Size @ 98% Efficiency. Lubrication System Oil Pressure at Rated Speed—psi (kPa). Oil Pressure at Low Idle—psi (kPa) In Pan Oil Temperature—°F (°C) Oil Pan Capacity, High—qt (L) Oil Pan Capacity, Low—qt (L) Total Engine Oil Capacity with Filters—qt (L)	
Governor Type Max. Allow. Fuel Pump Suction—ft (m) fuel Fuel Filter Micron Size @ 98% Efficiency. Lubrication System Oil Pressure at Rated Speed—psi (kPa). Oil Pressure at Low Idle—psi (kPa) In Pan Oil Temperature—°F (°C) Oil Pan Capacity, High—qt (L) Oil Pan Capacity, Low—qt (L) Total Engine Oil Capacity with Filters—qt (L) Engine Angularily Limits, Any Direction—Degrees	

SOLICITATION NUMBER: 2203697

PAGE: 9

Air System	
Maximum Allowable Temp Rise-Ambient Air to Engine Inlet°F(°C)	15 (8)
Maximum Air Intake Restriction	
Dirty Air Cleaner-in. H ₂ 0 (kPa)	25(6.25)
Clean Air Cleaner—in. H ₂ 0 (kPa)	
Engine Air Flow-ft³/min (m³/min)	
Eligine Ali Flow—it/lilli (ili/lillii)	[C]265 (7.5)
Intake Manifold Pressure-psi (kPa)	
intake Maintoid i ressure—psi (ki a)	
December and ad Intaka Dina Diamatan in (mm)	[C]11.0 (76)
Recommended Intake Pipe Diameter-in. (mm)	(70.2)
Capling Contant	
Cooling System	FT1 0/20 (42)
Engine Heat Rejection-BTU/min (kW)	
	[C]2389 (42)
Coolant Flow-gal/min (L/min)	
Thermostat Start to Open°F (°C)	
Thermostat Fully Open°F (°C)	202 (94)
Max Water Pump Inlet Restriction-in. H ₂ 0 (kPa)	40 (10)
Engine Coolant Capacity-qt. (L)	9 (8.5)
Recommended Pressure Cap-psi (kPa)	
Maximum Top Tank Temp°F (°C)	• • •
Maximum Coolant Fill Rate-gal/min (L/min)	
Minimum Air to Boil°F (°C)	
	,
Exhaust System	
Exhaust Flow-ft³/min (m³/min)	628 (17.8)
	[C]597 (16.9)
Exhaust Temperature°F (°C)	
Danaust Temperature T (C)	[C]795 (424)
Max. Allowable Back Pressure-in. H₂0 (kPa)	
Rec'd Exhaust Pipe Diameter-in. (Mm)	
Rec d Exhaust I ipe Diameter-in. (Willi)	40 (102)
Electrical System	
Recommended Battery Capacity (CCA)	
	640
12 Volt System-amp	
24 Volt System-amp	
Maximum Allowable Starting Circuit Resistance	
12 Volt System-Ohm	
24 Volt System-Ohm	0.002
Starter Rolling Current–12 Volt System	
At 32 °F (0 °C)–amp	
At -22 °F (-30 °C)—amp	1000
Starter Rolling Current-24 Volt System	
At 32 °F (0 °C)–amp	600

SOLICITATION NUMBER: 2203697

PAGE: 10

At -22 °F (-30 °C)-amp	700
Performance Data	
Rated Power-hp (kW)	[I]100 (75)
Rated Speed-rpm	2500
Peak Torque-lb.ft.(N·m)	
Noise-dB (A) @ 1m	
[I] = Intermittent Data [C]= Continuous Data Unless noted, all other values pertain to both	

Power Unit Trailer

Welded Construction -6" channel, 2" trailer ball hitch, 4 leveling stands (one at each corner), screw jack on tongue.

Dimensions

Bed/runner length
Bed/runner width
Total length
Total Width
Axles (2) tandem
Fenders (2) with backs
Color

The trailer should have 4 wheels and tires, LT 205/75/R15 (or equivalent R16's), rated for highway use.

Tank

Trailer mounted (see attached specifications) 550 gal., 48" diameter x 72" long, 12 gauge carbon steel and all fittings & openings for operation.



